

**FIRE FIGHTER II (PARAMEDIC)
STUDY GUIDE**

1. Identify the rhythm strip below:

- A. 3rd degree heart block
- B. First degree block
- C. Sinus rhythm with PACs
- D. 2nd degree type II



2. A normal PR interval is:

- A. 0.12 - 0.20
- B. 0.08 - 0.12
- C. 0.33 - 0.42
- D. 0.08 - 0.09

3. Injuries inconsistent with caregiver story should be reported to:

- A. Supervisor
- B. Hospital
- C. Child Protective Services
- D. None of the above

4. All of the following are examples of apparent life threatening events EXCEPT:

- A. Apnea with choking or gagging
- B. Color change with marked change in muscle tone
- C. Inconsolable crying with fever
- D. Transient apnea with cyanosis or pallor

5. When applying a commercially manufactured tourniquet, it is acceptable to place a second tourniquet distal to the first but still proximal-to the wound.

- A. True
- B. False

**FIRE FIGHTER II (PARAMEDIC)
STUDY GUIDE**

6. In relation to shotgun wounds, which of the following has the highest mortality rate?
 - A. Long range
 - B. Intermediate range
 - C. Close range
 - D. Contact range

7. A patient falls and is complaining of visual disturbances after the injury. What region of the cerebrum would you expect injury?
 - A. Frontal
 - B. Parietal
 - C. Septal
 - D. Occipital

8. Normal ventilation is controlled by the _____ drive.
 - A. Hypoxic
 - B. Hypercarbic
 - C. Metabolic
 - D. Anabolic

9. Which of the following are classified as antiarrhythmics?
 - A. Procainamide
 - B. Bretylium
 - C. Amiodarone
 - D. All of the above

10. What is the correct dosage for Vasopressin?
 - A. 40 mg
 - B. 40 units
 - C. 40 mcg
 - D. 40 g

**FIRE FIGHTER II (PARAMEDIC)
STUDY GUIDE**

ANSWER SHEET

1. B
2. A
3. C
4. C
5. B
6. D
7. D
8. B
9. D
10. B